



PARTS & COMPONENTS

2012



**Reverse**  
components



photo: Jonathan Debus

# NO BOUNDARIES

Our aim has always been to produce high quality, lightweight products, which combine awesome performance with trend setting designs. Through our years of experience in mountain biking and our close relationship with the SOLID BIKES World Cup team and our other top supported athletes, we have a clear insight into the needs and quality expectations of riders.

For all Reverse Components we offer a 2 year guarantee. We have grown the already successful REVERSE Components program with the addition of the new range of XC and Marathon, aluminium and carbon components, in a range of colours.

RIDE REVERSE  
Peter und Heike Schmid


Unser Ziel war es schon immer Produkte von höchster Qualität und geringem Gewicht herzustellen und diese mit schönen und trendigen Designs zu kombinieren. Durch die langjährigen Erfahrungen im Mountainbike- Extremsport und der Zusammenarbeit mit dem SOLID BIKES World Cup Team und anderen Top Athleten, haben wir ein hervorragendes Feedback und tiefe Einblicke in die Bedürfnisse und die Qualitätsansprüche von Bikern.

Für alle REVERSE Components gewähren wir 2 Jahre Garantie. Mit der neuen, aus Aluminium und Carbon gefertigten XC- und Marathon-Produktreihe, die wir in verschiedenen Farbvarianten anbieten, komplettieren wir unser bereits weltweit erfolgreiches REVERSE Components Programm!

RIDE REVERSE  
Peter und Heike Schmid



photo: Ricky Monti



Front cover photo: keno derleyn

For more information about Black Line check the website!



"Black Line" Handbar and Seatpost



XC Light 710, Page 10




Global 730, Page 9



AM Carbon 710, Page 11



NEW STUFF!!!



Seatpost "Style lite", Page 12



"Escape" Pedals. Page 18



"Stamp" Lock On Grip, Page 14



"Base" Stem. Page 25



"S-Trail Stem", Page 27

Direct Mount Stem, Page 26



„Legend Evo“ Crank set. Page 26



Seatclamp „Bolt“, Page 23



Reverse ultra-light Spacer, Page 21



Seatclamp "Long Live". Page 22

**HANDLEBARS**



**Style 76**

760mm wide, 0", 0.75" or 1.5" rise, AL 7075-T6, double butted, 9° back sweep  
 Ø 31.8mm  
 Colors: white-red, white-blue, black-white, chrome-white, chrome-black, black-white/green (only 0,7")  
 Flat bars only in red-white or black-white available  
 Weight: 295 g

**Style 76 Combination**

Here you can see the new Style options for the REVERSE Executer stem combined with the Style76 handlebar. Single top caps from the Executer stem are available in these colours: red, white, black and chrome.



The Triple X 820mm handlebar has now a new elegant matt finish. This bead blasted finish gives the handlebar surface more strength and durability.



**Triple X - 820mm**

820mm wide, 0" or 0.5 "rise, AL 7075-T6, triple butted, 9° back sweep  
 Ø 31.8mm Colors anodized: black, titan, white (paint).  
 Light blue, chrome, dark blue, purple have bead blast finish!  
 0" Flat bar; Colors bead blast: matt black, purple  
 Weight: 330g



Why do I need such wide handlebars?  
 Wide bars give you more control and stability on difficult and long tracks. Using bars with a width thats proportional to your shoulders means you do not need to use so much power from your arms, because more movement can come from the shoulder muscles. Of course wide bars allow users to cut them down to your personal preference!



Was bringen extra breite Lenker?  
 Breite Lenker geben mehr Sicherheit und Kontrolle auf schwierigen und langen Abfahrten. Zudem verlieren die Arme nicht so schnell an Kraft, da auch die Schultermuskulatur zum Einsatz kommt. Weiterer Pluspunkt: Breite Lenker lassen mehr individuellen Spielraum. Man kann sie nämlich ganz bequem auf die persönliche Wunschlänge kürzen.



**HANDLEBARS**



**XXL "fli-bar"**

760mm wide, 0", 0.75" and 1.5" rise,  
AL 7075-T6, double butted, 9° back sweep  
Ø 31.8mm  
Colors anodized: black, bead blast green,  
polished gold  
Yellow, gold and green (only 0.75" rise)  
Painted: yellow and white  
Weight: 295g

**NEW**



**NEW**

**GLOBAL 730**

730mm wide, 0.7" & 1.5" rise.  
Ø 31.8mm,  
Triple butted AL 7075-T6, 9° back sweep  
Colors anodized: black, green, gold,  
sand-metallic, titan grey, red, purple,  
chrome, light blue, dark blue, orange,  
white (paint)  
Weight: 285g



1,5" rise  
0,7" rise

**Colour Options!**

**Global 730 in 0,7" and 1,5" rise**  
is available in all colours shown on this  
side. Top and bottom!



**HANDLEBARS**

**DH-Race Bar**  
FOR XC AND DH



Ø 25.4mm, 710mm wide.  
AL 7075-T6, 9° backs weep  
1.5" rise

Colors anodized: black, gold, titan, red, green,  
purple, chrome, white (paint), apple-green

Weight: 266g



**REVERSE XC-Light 710**  
FOR XC AND AM



710mm wide, 1.5" & 0.0" rise.  
Ø 31.8mm,  
Triple butted AL 7075-T6, 9° back sweep  
Colors anodized: black, red, gold, white (paint)  
Weight: 282g



**REVERSE XC Carbon bars**  
SUPER LIGHT

0,7" rise, Ø 31,8mm, 6°, length: 640mm, black, Weight: 178g  
0,7" rise, Ø 31,8mm, 6°, length: 640mm, white, Weight: 190g  
0" rise, Ø 31,8mm, 6°, length: 620mm, black, Weight: 137g  
0" rise, Ø 31,8mm, 6°, length: 640mm, white, Weight: 144g

All bars are with a special insert to use bar ends!



**REVERSE AM-CARBON 710**  
SUPER LIGHT FOR XC AND AM

710mm wide, 20mm rise and 38mm rise.  
Ø 31.8mm, Full carbon bar.  
Color: black. Weight: 176g



**REVERSE FR-CARBON 680**  
SUPER LIGHT FOR XC AND FR

1.5" rise, Ø 31,8mm, Length: 680mm, black  
Weight: 180g




**Seatpost Style lite**

Ø 30,0mm / 30,9mm / 31,6mm  
 Material: AL 7075  
 Length: 400mm, Weight: from 263g  
 Colors: green-white, black-white, red-white, dark blue-white, black-green, gold-white.



**Seatpost Comp lite**

Ø 30,0mm/30,9mm/31,6mm  
 Material: AL 7075  
 Length: 400mm, Weight: from 263g  
 Colors: purple, black, titan, red, white



**Seatpost Comp**

Ø 27.2mm,  
 Length: 350mm, double clamp  
 Material: 6061-T6,  
 Weight: 317g  
 Colors anodized: purple, light blue, chrome, gold, black, red, Paint: yellow, white



**Superlight Carbon**

Carbon lay back head - 15 mm offset,  
 Ø 31.6 / 27,2 mm  
 Length: 350mm  
 Weight: 179g

**XC Carbon Alloy**

Aluminium head,  
 Ø 31.6mm / 30.9mm  
 Length: 400mm,  
 Weight: 218g  
 – at 350mm 182g,  
 – at 300mm 146g



Ø  
30 mm



NEW



## REVERSE "Stamp" Lock On Grip

### Large size Ø 30 mm

Lock on grip with alloy double clamp ring system.  
With exchangeable alloy ring.  
Replacement parts are separately available  
(rubber, alloy rings)

Weight: 101g

Available grip rubbers:  
black, yellow, white, green

Available alloy clamp rings:  
Silver polish, red, apple green, gold, white, yellow,  
black, purple, blue, green.





Ø  
29 mm

### Lock-on "REVERSE Grip"

#### Medium size Ø 29 mm

Lock on grip with alloy double clamp ring system.  
With exchangeable alloy ring.  
Replacement parts are separately available  
(rubber, alloy rings)

Weight: 105g

Available grip rubbers:  
black, purple, white, apple green, blue

Available alloy clamp rings:  
Silver polish, red, apple green, gold, white, yellow, black,  
purple, blue, green.



Ø  
31 mm

### Lock-on "Booster Grip"

#### X Large size Ø31 mm


Lock on grip with alloy double clamp ring system with closed end.

With exchangeable alloy ring.  
Replacement parts are separately available  
(rubber, alloy rings)

Weight: 127g

Available grip rubbers:  
black, light blue

Available alloy clamp rings:  
red, white, black



Ø  
28 mm

### Lock-on "XC Grip"

#### Small size Ø28 mm

Lock on grip with alloy double clamp ring system.  
With exchangeable alloy ring.

Replacement parts are separately available  
(rubber, alloy rings)

Weight: 90g

Available grip rubbers:  
black, white

Available alloy clamp rings:  
red, white, black




**CHAINRINGS**

**Race SL Chainrings**

Super light and super strong for DH / FR / 4X  
 4-hole, BCD 104mm, 7075 T6 alloy CNC  
 Sizes: 34T / 36T / 38T  
 Colors anodized: black, red, dark blue, purple, white (paint)

Weight:  
 34T / 36g  
 36T / 41g  
 38T / 46g



**2 x 10 Chainrings – shiftable & super light for BCD 120 & 80**

New chainrings for 2 x 10 Sram cranks.  
 Often regular chainring sizes are too big for many people.  
 We offer individual sizes and colors.  
 Super light 4-hole, 7075 T6 alloy CNC  
 Sizes for BCD 120mm: 38T / 49g and 40T / 54g  
 Sizes for BCD 80mm: 26T / 31g  
 Colors anodized: black, red



**Race SL “Style” Chainrings**

Black with green: 34T - 38T  
 White with green: 38T  
 Weight:  
 34T / 36g  
 36T / 41g  
 38T / 46g



**Chainrings – shiftable / super light**

New chainrings for all MTB cranks with BCD 104mm & 64mm.  
 We offer individual sizes and colors.  
 Super light 4-hole, 7075 T6 alloy CNC  
 Sizes for BCD 104mm / ID 90mm: 32T / 34T / 36T / 38T  
 Sizes for BCD 64mm / ID 48mm: 22T / 24T / 26T

Weight:  
 22T / 26g  
 24T / 32g  
 26T / 36g  
 32T / 38g  
 34T / 42g  
 36T / 48g  
 38T / 57g  
 Colors anodized: black, red, gold



Chainring Bolts,  
 Page 24

**NEW**

**Bashguard „RACE SL 44T“**

NEW-for all 3-speed cranks, to **avoid chain suck** at downhill **and dirty pants** on the way to work.

Super strong and slim 3mm/7075AL alloy bashguard. With easy mount 4 bolt system. 4-Hole, BCD 104,

Range: 44T

Colors: black, white.

Weight: 155g with bolt system



**lighter than carbon**



**NEW**



**REVERSE ultra-light Spacer**

Weight: 5mm: 1,5g, 10mm: 3g  
Colors: black, purple, dark- blue, gold, green, red, light- blue



The new ultra light alloy spacers will be available as set (2x10mm, 2x 5mm)



**65g!**



**Bashguard „RACE SL 38T“**

Super strong and slim 3mm/7075AL alloy bashguard. 4-Hole, BCD 104

Range: 32-38T

Colors: black, white.

Weight: 65g



**Cocaine Saddle**

8mm CrMo Rail, kevlar corners with crushprotector and finger protector for seatgraps!

Colors: white, brown Weight: 429g



**Fort Will Titan Saddle**

7mm Titan Rail, Colors: black, white  
Weight: 206g

**Fort Will CrMo Saddle**

7mm CrMo Rail, Colors: black, white  
Weight: 238g

All Fort Will saddles have a special surface material which offers better grip in wet and muddy conditions.

SEAT CLAMPS



Brass washer



Seat Clamp „Long Live“

WITH BRASS WASHER TECHNOLOGY

The alloy seat clamp has specially been assembled with custom brass washers to guarantee long life being clamped.

Brass washers provide ideal properties in clamping areas to always remain tight and function properly even in no prime conditions like dust or mud.

For overall long life, standard assembly of other clamps with plastic washers can not live up to details in the new seat clamps with brass washers.

Weight: 46g

Size: 34,9mm

Colors: black, purple, dark-blue, gold, green, red, light-blue, sand-metallic, white.

 Durch die spezielle *Messing-Spannplatte* wird eine sichere Klemmung erzeugt. Die besonders guten *Gleiteigenschaften* von Messing ermöglichen ein leichtes Öffnen und Schließen der Klemmen auch unter widrigsten Bedingungen bei Dreck und Staub.

Die *Messing Spannplatte* haben eine wesentlich höhere *Lebensdauer* als die herkömmlichen Kunststoff Spannplatten!



Seatclamp „Bolt“

Alloy seat clamp with bolt. Specially recommended for Hydraulic seat post user.

Weight: 26g

Size: 34,9mm

Colors: black, purple, dark-blue, gold, green, red, light-blue, sand-metallic, white.

**NEW**

### REVERSE Chainring Bolts

The Reverse chainring alloy bolts are available as set. Easily mount with 5mm & 6mm allen keys.

Bolt set 8pc: 4 x Bolts with Nuts & 4 x 2mm washers.

**Material:** 7075 Alloy

**Length:** 7mm

**Colors:** black, dark blue, gold, red, green, purple, light blue.

**Weight:** 9g (complete set)



**NEW**

### REVERSE "Base" Stem

Light and strong stem for DH and FR

The new Reverse "Base" stem has been introduced to meet the demands of this high stress part. The solid billet of 6061 aluminium is machined to create a hugely strong stem, whilst every effort has been made to reduce unnecessary weight.

**Ø** 31,8mm , **Angle** 0°, 1 1/8"

**Length:** 40 mm

**Clamp height:** 38 mm

**Material:** AL6061

**Weight:** 170g

**Colors anodized:** black, red, chrome, white (paint)



### REVERSE Chainstay Cover

The chainstay cover is specially made for bikes with a bigger chainstay. We use Neoprene which is very stretchable to have a maximum size range.

**Size:** 260\*125\*115mm

**Range:** XC / Am / FR / DH frames



**also in chrome**



### Direct Mount Stem

Ø 31,8mm , Angle 10°, 1 1/8"  
 Length: 42-50 mm (adjustable)  
 Material: AL6061, CNC  
 Weight: 165g  
 Colors anodized: black, red, dark blue,  
 purple,chrome, white (paint)



### Executer

Ø 25,4mm  
 Length: 40mm, Angle 15°, 1 1/8", Ø 25.4mm  
 Clamp height: 32mm  
 Material: AL 6061, CNC  
 Colors anodized: black, red, light blue, purple,  
 gold, chrom, white (paint)  
 Weight: 204g

### Ø 31,8mm oversized


Length: 42mm, Angle: 15°, 1 1/8", Ø 31.8mm  
 Clamp height: 36mm  
 Material: AL 6061, CNC  
 Colors anodized: black, red, green, purple,  
 gold, chrom, titan, white (paint)  
 Weight: 246g



### S-Trail - light

#### Super light Enduro / Freeride stem

Ø 31,8mm , Angle 8°, 1 1/8"  
 Length: 50mm, 60mm and 70 mm  
 Clamp height: 40mm  
 Material: AL6061, CNC  
 Weight: 120g (50mm), 130g (60mm), 137g (70mm)  
 Colors anodized: black, red, dark blue, purple, gold  
 white (paint) (70mm only red, white and black)



### REVERSE XC 6°

#### Super light XC and Enduro stem

Ø 31,8mm, 1 1/8"  
 Length: 70mm/90mm/100mm/110mm  
 Clamp height: 36mm  
 Material: AL 2014  
 Weight: 99g (70mm) 105g (90mm)  
 107g (100mm) 112g (110mm)  
 Colors anodized: black, red, titan,gold, white (paint)



### REVERSE XC 20°

#### Super light XC and Enduro stem

Ø 31,8mm, 1 1/8"  
 Length: 90mm/100mm/110mm  
 Clamp height: 36mm  
 Material: AL 2014  
 Weight: 135g (90mm) 139g (100mm) 149g (110mm)  
 Colors anodized: black, red, titan, white (paint)

**Combine your size & color!**

<b>Top Caps</b>	<p>1.5" semi integrated "Top Cap", reduced to 1 1/8", Ø50mm, (59g)</p> 	<p>1 1/8" semi integrated "Top Cap", Ø44mm, (38g)</p> 	<p>1 1/8" A-Head "Top Cap", Ø34mm, (38g)</p> 	
<b>Lower Caps</b>	<p>1.5" A-Head "Lower Cap" Ø50mm, (58g). <b>Without "Crown Race" ring!</b></p> 	<p>1.5" semi integrated "Lower Cap" Ø50mm, reduced to 1 1/8", (39g). <b>With "Crown Race" ring!</b></p> 	<p>1 1/8" semi integrated "Lower Cap", Ø44mm, (28g). <b>With "Crown Race" ring!</b></p> 	<p>1 1/8" A-Head "Lower Cap", Ø34mm, (28g). <b>With "Crown Race" ring!</b></p> 

Choose the "Crown Race" ring you need!



**Option 1:**  
Crown Race ring 1.5" reduced to 1 1/8", (9g) = for 1 1/8" fork.



**Option 2:**  
Crown Race ring 1.5", (4g) = for 1.5" tapered fork.

ALL TOP CAPS CAN BE COMBINED WITH THE LOWER CAPS, AND HAVE TO BE ORDERED SEPARATE.  
FOR 1.5" A-HEAD LOWER CAP, PLEASE CHOOSE AS WELL THE "CROWN RACE" RING SEPARATELY.

### Headset Twister – 1.5" & 1 1/8" - Combine System

- Available "Top caps":**
- 1.5" semi integrated "Top Cap", reduced to 1 1/8", Ø 50mm, (59g) = for 1 1/8" & 1.5" tapered forks
  - 1 1/8" semi integrated "Top Cap", Ø 44mm, (38g) = for 1 1/8" fork / steer tube
  - 1 1/8" A-Head "Top Cap", Ø 34mm, (38g) = for 1 1/8" fork / steer tube
- Available "Lower caps":**
- 1.5" A-Head "lower Cap" - Ø 50mm, (58g). 2 in 1 function – with crown race ring 1.5" (4g) = for 1.5" tapered forks – with crown race ring 1.5" reduced to 1 1/8" (9g) = for 1 1/8" forks/ steer tubes
  - 1.5" semi integrated "Lower Cap" Ø 50mm, reduced to 1 1/8", (39g) = for 1 1/8" fork / steer tubes
  - 1 1/8" semi integrated "Lower Cap", Ø 44mm, (28g) = for 1 1/8" fork / steer tube
  - 1 1/8" A-Head "Lower Cap", Ø 34mm, (28g) = for 1 1/8" forks / steer tube

### Headset Twister – 1 1/8" Super Light 66g

- Semi-integrated**  
1 1/8", AL 7075, Ø 44mm, stack height 5,2mm,  
**Weight:** 66g incl. top cap and alloy screw  
**Colors anodized:** black, light blue, green, red, gold
- A Head**  
1 1/8" AL 7075, Ø 34mm, stack height 21mm,  
**Weight:** 66g incl. top cap and alloy screw  
**Colors anodized:** black, light blue, green, red, gold



**New colors**

**406g!**

### Escape Pedals

The REVERSE Escape pedals are designed to ensure perfect grip. The extra seals between the pedal body and the axle produce additional friction, so that the pedals do not rotate on their own whilst you're mid trick, ensuring they are where you left them when you spot the landing.

Each platform has 8 long steel pins and 4 colored alloy deluxe pins. All pins are replaceable, and the alloy deluxe pins are available in different colors.

Made from AL 6061 with a replaceable sealed CrMo axle, bearing, Du-bushing, and pins. All spare parts are available separately.  
**Colours anodized:** black, dark blue, purple, chrome, green, sand-metallic, red – **Colors powder coated:** white

**Weight:** 406g **Pedal body size:** 100 x 100mm, **Pedal height:** 16 mm

### Escape Pedal Pins

**Alloy Deluxe pin options:** Red, blue, gold, black, green, titan.  
**Steel Pins:** silver






### Ergo Race Pedals - High Performance

The patented REVERSE Ergo Race Pedal has been developed in conjunction with a leading German orthopedic specialist. The revolutionary shape of the pedal platform has been designed with the anatomy of the foot in mind and keeps the rider's feet in the desired position, eliminating the need for constant rearranging of the feet.

This has been proven to use less muscle power than conventional pedals, which means better performance over long rides or downhill. This patented shape and strategically placed pins give the pedal superb performance and grip. Made from AL 6061 with a quick exchangeable sealed CrMo cartridge axle system, low friction. Exchangeable pins. Optional available long pins. Colors anodized: black, red, chrome, white (powder coating) – Weight: 616g



### Spirit front hub

Super light anodized 6061-T6 alloy hub with 2 sealed bearings. Bolt on type and standard quick release.

Colors anodized: black, red, white (paint)  
Weight: 156g

### Spirit rear hub 135mm

Super light anodized 6061-T6 alloy hub with a alloy 3 paw cassette body, 4 sealed bearings. Bolt on type and standard quick release.

Colors anodized: black, red, white (paint)  
Weight: 290g

### REVERSE RACE PRO DISC HUB Ø 15 MM



### one5zero

Super light anodized 6061-T6 alloy  
Ø 15 mm thru axle front hub,  
with 2 sealed bearings.

Colors anodized: black, red, gold, white (paint)  
Weight: 150g



### Titan Quick Release

Super light titan quick release.  
Front and rear.

Colors anodized: black, red, gold, dark blue  
Weight: 23g front  
Weight: 25g rear



**4 in 1 System**

185g

295g

305g

Evo 9 Pro color options  
Colors anodized:  
purple, dark blue, red, black  
white (paint)

**EVO 9 Pro front multifunction**

EVO-9 Pro front hub – 4 in 1 system  
Super light 6061-T6 alloy hub with 2 sealed bearings  
**Weight:** 185g (20mm version)  
All EVO-9 Pro front hubs are 20mm convertible to 5mm quick release, 15mm & 9mm thru axle. With a optional available adapter set. So you have a 4 in 1 system.

Colors anodized:  
red, black, purple, dark blue, white(paint)

**EVO 9 Pro rear 135 multifunction**

EVO-9 Pro rear hub 135mm – 3 in 1 system  
(135/10mm & 135/12mm & 142/12mm) - 32 hole  
Super light anodized 6061-T6 alloy hub with a alloy 3 paw cassette body, 4 sealed bearings, **Weight:** 295 g  
All EVO-9 Pro rear hubs 135/12mm can be used direct as 12mm or 10mm thru axle hub. Including the new developed standard quick release thru axle 12mm reduced to 10mm. You can use this hub in every standard MTB. A optional Adapter set allows you to change the hub to the new 142/12mm standard. So you have a 3 in 1 system.

**EVO 9 Pro rear 150**

EVO-9 Pro rear hub 150/12mm - 32 hole  
Super light anodized 6061-T6 alloy hub with a alloy 3 paw cassette body, 4 sealed bearings, **Weight:** 305g



**Adapter for EVO 9 Pro front hub 4 in 1 System**

How to do: Take off the 20mm side cap so you got the press ring who hold the 20mm cap separately. Now take the basic adapter instead of the 20mm side cap. The press rings have to be replaced and pressed into the gap. The press ring fixes the basic adapter. Then plug in the adapter (5mm or 9mm or 15mm). From now on you can change the adapter within a minute.

**3 in 1 System**

All EVO-9 Pro rear hubs 135/12mm can be used direct as 12mm or 10mm thru axle hub. Including the new developed standard quick release thru axle 12mm reduced to 10mm. You can use this hub in every standard MTB. A optional axle set allows you to change the hub to the new 142/12mm standard. 135/12mm + 135/10mm + 142/12mm is possibly

**EVO 9 Pro Axles**

The EVO-9 Pro 135/12mm quick release trough axle reduces 12 mm to 10mm  
**Weight:** 85g  
This axle makes it possible to use the 135/12mm hub in every standard MTB.  
Optional available is a 12mm reduced to 10mm bolt thru axle with nut.  
**Weight:** 62g



Set 2055g  
HANDMADE

### REVERSE Wheelset Super light DH /FR

REVERSE super light disc wheelset for Downhill /FR With REVERSE 934 Rim, 32mm width and REVERSE EVO-9 Pro hubs -32 hole and Sapim D-light spokes and alloy nipples.

**Color combination:**  
Rim 934 in black, white. Hubs in all EVO-9 colors  
Spokes: black or white. Nipples: black, red, gold, blue

Weight / set: 2055g / 20mm/135mm hub  
Weight / set: 2065g / 20mm/150mm hub

All available wheelset options:  
Front: 5mm Qr, 9mm, Ø 15mm, Ø 20mm  
Rear: 135/10mm, 135/12mm, 142/12mm, 150/12mm



Set 1879g  
HANDMADE

### REVERSE Wheelset Super light FR /Enduro

REVERSE super light disc wheelset for FR / Enduro with REVERSE 930 Rim, 30mm width and REVERSE EVO-9 Pro hubs -32 hole and Sapim D-light spokes and alloy nipples.

**Color combination:**  
Rim 930 white only. Hubs in all EVO-9 colors  
Spokes: black or white. Nipples: black, red, gold, blue

Weight / set: 1879g / 20mm/135mm hub  
Weight / set: 1889g / 20mm/150mm hub

All available wheelset options:  
Front: 5mm Qr, 9mm, Ø 15mm, Ø 20mm  
Rear: 135/10mm, 135/12mm, 142/12mm, 150/12mm



934 Rim  
618g

930 Rim  
535g

### REVERSE 934 Rim

Rims made of 6061-T6 Aluminium  
Colors: White, black; Weight: 618g  
32 hole, stainless steel eylet, pin joint  
Width: 32mm, Height: 21mm

### REVERSE 930 Rim

Rims made of 6061-T6 Aluminium  
Colors: White only; Weight: 535g  
32 hole, stainless steel eylet, pin joint  
Width: 30mm, Height: 19mm



Set 1435g  
HANDMADE

### REVERSE Wheelset Super light XC /AM

REVERSE super light disc wheelset for XC / AM and Enduro light. With FRM-Bor Rim XMD-333 and REVERSE Spirit hubs -32 hole and Sapim D-light spokes and alloy nipples.

**Color combination:**  
Rim XMD-333 white, red, black. Hubs in white, black, red  
Spokes: black or white. Nipples: black, red, gold, blue

Weight / set: 1435g / 5mm QR/135mm hub

All available wheelset options:  
Front: 5mm Qr, Ø 15mm  
Rear: 135mm Qr

Forged AL-7050-T6 Alloy Arms.

In its raw state AL-7050 is impressive but through the extrusion, forging and heat treatment processes we create the highest quality AL-7050 Aluminum parts.

AL-7050 is 70% stronger than commonly used 6061 aluminum.

**NEW**

### REVERSE "LEGEND EVO"

High quality light weight DH/FR crank set with chainwheel.  
With Ceramic bearing bottom bracket and ALS Adapter.

Forged AL-7050-T6 Alloy Arms.

The patented ALS-System (adjustable length system) allows to have 2 crank length sizes with one crank. (165mm + 170mm)

Weight with BB and Chain wheel 38T: 755g

**755g**

REVERSE Legend EVO:

Sizes: BB 83 mm, 165mm & 170mm

- 4 bolt, BCD 104 , Hollow spindle
- With Ceramic bearing /bottom bracket
- Color: Chrome polished

**ALS-System**



165mm



170mm

Adjust Length System (ALS reversible insert)

Included Adapter 2 in 1 165mm & 170mm



Optional available adapter 167,5mm (3. Size)

### REVERSE Disc Rotor Bolts

The Reverse disc rotor Bolts / Screws are available as set with 12pc.

Material: Steel S10B21 / Grade: 10.9

Torx T25 Bolt / Screw M5x10mm

Colors: black, blue, gold, red



### REVERSE Carbon spacer 1 1/8"

Size/Weight: 5 mm / 2,8g  
10 mm / 5,5g

### REVERSE "10.9" Pedal Pins

The Reverse steel pins are available as set with 24pc. The size we offer will fit most of the common pedals in the market.

Size thread: M4x4mm

Height Pin: 5mm

Material: Steel S10B21 / Grade: 10.9

Colors: black, blue, red, gold



RIDE REVERSE



REVERSE COMPONENTS AND PARTS ARE WORLD CUP TESTED BY MANY WORLD CUP RIDERS!



**Reverse**  
components

 **SOLID BIKES Europe**  
Peter Schmid  
Rudolf-Diesel-Straße 13  
72250 Freudenstadt, Germany

Fon: +49 (0)7441 / 952-450  
Fax: +49 (0)7441 / 952-451  
e-Mail: [info@solidbikes.de](mailto:info@solidbikes.de)  
**www.solidbikes.de**

BE PART OF THE FAMILY

Get all the latest informations about parts, teamriders, events and more

Find REVERSE on 

**www.reverse-components.com**

CONTACT US

 **UK / England:**  
OC Tuning Ltd.  
Phone: +353 (1) 4929552  
[www.octuning.ie](http://www.octuning.ie)

 **Sweden:**  
Wild Distribution  
Phone: +46-7027-87055  
[www.solidbikes.se](http://www.solidbikes.se)

 **Australia:**  
Fearless Cycles  
[info@fearlesscycles.com.au](mailto:info@fearlesscycles.com.au)  
[www.fearlesscycles.com.au](http://www.fearlesscycles.com.au)

 **Finnland:**  
Oy Bike Group Finland Ltd  
Phone: +358 10 548 2507  
[info@solidbikes.fi](mailto:info@solidbikes.fi)

 **Italy:**  
Bike Store Roma  
Phone: +39 (06) 76906946  
[www.bike-store.it](http://www.bike-store.it)

 **Switzerland:**  
SOLID BIKES, A.Willimann  
Phone: +41(0) 32 661 05 88  
[info@solidbikes.ch](mailto:info@solidbikes.ch)

 **France:**  
SOLID BIKES France  
Tel +33 (0)6 67 6619 33  
[mathieu@solidbikes.de](mailto:mathieu@solidbikes.de)

 **Singapore:**  
Integrated Riding  
Phone: +65 (6346) 0448  
[www.integratedriding.com](http://www.integratedriding.com)

 **Czech & Slovakia:**  
JSM ProMotion, spol. S r.o.  
[jsm123@seznam.cz](mailto:jsm123@seznam.cz)  
[www.jsm-racing.com](http://www.jsm-racing.com)

 **Poland:**  
Furious Parts  
Phone +48 (608) 898806  
[www.fparts.pl](http://www.fparts.pl)

 **Ireland:**  
OC Tuning Ltd.  
Phone +353 (1) 4929552  
[www.octuning.ie](http://www.octuning.ie)

 **Spain:**  
Fun Bikes S.L.  
Phone: +34 (965) 593131  
[www.funbikesindustries.com](http://www.funbikesindustries.com)

 **Portugal:**  
Marc MTB Products Lda.  
Phone: +351 (244) 770170  
[www.marcmtpproducts.com](http://www.marcmtpproducts.com)

 **Slovenia:**  
Servis sportne opreme Zare  
Phone: +386 (0)1 540 19 50  
[zarko.mladenovic@siol.net](mailto:zarko.mladenovic@siol.net)

 **Indonesien:**  
Integrated Riding  
Phone: +65 (6346) 0448  
[www.integratedriding.com](http://www.integratedriding.com)