





# Reverse Style 760mm

### Material

AL 7075 double butted

**Features** 

760mm wide 0"only red-white/

9° back sweep black-white

4° up sweep 0.7" all colours 1.5" red-white/chrome-Ø 31,8mm

Weight: 295g\* white/black-white/

chrome-black

### Colors

red-white, blue-white, black-white, chrome-white, chrome-black, gold-white, black-white-green, white = painted!

# Reverse Black Line 760mm



### **Material**

AL 7075 double butted

### Colors

black-polished, black in black Rise: 0.7"

### **Features**

760mm wide

9° back sweep

4° up sweep

# Ø 31,8mm Weight: 295g\*

# Reverse Triple X 820mm

### Material

AL 7075 double butted

### **Features**

820mm wide Ø 31.8mm 9° back sweep Weight: 330g\* 4° up sweep

# Rise

0" matt black and purple 0.5" all colours

### Colors anodized

black, titan, light-blue, chrome, dark-blue, purple, red, orange, white (paint)

Weight +/- 5% production tolerance

for more products www.reverse-components.com





# Reverse Global 730mm



# Material

AL 7075 double butted

### Features 730mm wide

730mm wide blac 9° back sweep titan 5° up sweep blue

Ø 31,8mm Rise: 0.7"/1.5" Weight: 285g\*

### Colors

black, green, gold, sand-metallic, titan-grey, red, purple, chrome, light blue, dark blue, orange, white (paint)



Global 730mm in 0,7" and 1,5" rise

is available in all colours shown on the left side



Eliott Lapotre, Solid & Reverse Team Rider



Nico Vink, Reverse Pro Team Rider



# Reverse XXL fli-bar 760mm

www.reverse-components.com





# **Reverse Base 790mm** Ø 31,8mm / **760mm** Ø 25,4mm



### Material

AL 7075 double butted

### Colors

chrome, black, titangrey, red, black-yellow, candy (paint), white (paint),

### Features 760mm

7° back sweep 5° up sweep Ø 25,4mm Rise: 18mm & 38mm Weight: 303g\*

### Features 790mm

7° back sweep 5° up sweep Ø 31.8mm Rise: 18mm & 35mm Weight: 295g\*



### **Special World Cup Race Geometry!**





# Reverse AM-Carbon 710mm



### **Features**

Weight: 176g\*

Full Carbon 710mm wide 9° back sweep Colors 4° up sweep Ø 31.8mm

Classic 3-K Carbon

Material

Rise: 20mm/38mm Diffused Carbon black (only 20mm Rise)

# Reverse XC- Light 710mm



0

### **Features**

710mm wide 6° back sweep 4° up Sweep Ø 31,8mm Rise: 0"/0.7" Weight: 282g\*

### Material

AL 7075 double butted

### Colors

black, red, gold, white (paint)

# Reverse Base Stem Ø 25,4mm/31,8mm

Material AL 6061 CNC Colors anodized

black, red, chrome, white (paint). orange (only Ø31,8mm)

### **Features**

Lenath: 40mm

Clamping: 31,8mm, 25,4mm,

Angle: 0°, 1 1/8" Clamp height: 38mm

Weight:

25,4mm 148g\* 31,8mm 178g\*


\*Weight +/- 5% production tolerance











# Reverse S-Trail light Ø 31,8mm

### Material

AL 6061 CNC

### Colors anodized

black, red, dark-blue, purple, gold, orange, white (paint)



### **Features**


Length: 50mm/60mm/70mm Clamping: 31,8mm Angle: 8°, 1 1/8" Clamp height: 40mm Weight: 50mm/120g\*, 60mm/130g\*

70mm/137g\* (70mm only black, red, white)









Length: 60mm/70mm Clamping: 31,8mm

Weight: 60mm 172g / 70mm 180g Optional available spacer for Ø 1.5

Color: black only

Ø1.56

Angle: 8°





Reverse

# Reverse Fast Lane Stem

Material AL 6061

### **Features**

Length: 46-50mm Clamping: 31.8mm Angle: 8° 1 1/8 Clamp height: 38mm

Weight: 144g\*





Sören Krahl, Reverse Team Rider



Bobby Root, Reverse Pro Team Rider ==

# Reverse XC 6° Stem

Material AL 2014

Colors anodized

black, red, titan, gold, white (paint)

**Features** 

Length: 60mm (only in black, white), 70mm, 90mm, 100mm, 110mm Clamping: 31,8mm 1 1/8"

Angle: 6°

Clamp height: 36mm

Weight:60mm/94g\*, 70mm/99g\*,


90mm/105g\*, 100mm/107g\*, 110mm/112g\*











# Reverse XC 20° Stem

# Material

AL 2014

### Features

Length: 90mm, 100mm, 110mm Clamping: 31,8mm 1 1/8"

Angle: 20°

Clamp height: 36mm Weight: 90mm/135g\*,

100mm/139g\*, 110mm/149g\*

### Colors anodized

black, red, titan, white (paint)



# Reverse Headset - 1.5" & 1/8"

1.5" semi integrated top cup. reduced to 1 1/8". Ø50mm.

1 1/8" semi integrated top cup. Ø44mm. (38a)

1 1/8" A-Head top cup. Ø34mm . (38a)









15" Zero stack lower cup Ø56mm, (49g).

Without

= for 1 1/8" fork



Crown Race ring 1.5" reduced to 1 1/8", (9g)



1.5" A-Head lower cup

Ø50mm. (58a).

1 1/8", (39g).

"Crown Race" ring!



1.5" semi integrated lower 1 1/8" semi integrated cup Ø50mm, reduced to lower cup. Ø44mm.

"Crown Race" ring!

1 1/8" A-Head lower cup. Ø34mm. (28a).

"Crown Race" ring!

Crown Race ring 1.5", (4q) = for 1.5" tapered fork.

ALL TOP CUPS CAN BE COMBINED WITH THE LOWER CUPS. AND HAVE TO BE ORDERED SEPARATE FOR 1.5" A-HEAD LOWER CUP, PLEASE CHOOSE AS WELL THE "CROWN RACE" RING SEPARATELY.

### **Available Top Cups:**

- 1.5" semi integrated top cup, reduced to 1 1/8". Ø 50mm, (59g) = for 1 1/8" & 1.5" tapered forks
- 1 1/8" semi integrated top cup. Ø 44mm. (38a) = for 1 1/8" fork / steer tube
- 1 1/8" A-Head top cup, Ø 34mm, (38g) = for 1 1/8" fork / steer tube

### **Available Lower Caps:**

- 1.5" Zero stack lower cup Ø56mm (49q). 2 in 1 function with crown race ring 1.5" (4g) for 1.5 tapered forks
- 1.5" A-Head lower cup- Ø 50mm, (58a), 2 in 1 function
- with crown race ring 1.5" (4g)= for 1.5" tapered forks
- with crown race ring 1.5" reduced to 1 1/8" (9g) = for 1 1/8" forks/steer tubes
- 1.5" semi integrated lower cup Ø 50mm, reduced to 1 1/8", (39g) = for 1 1/8" fork / steer tubes
- 1 1/8" semi integrated lower cup , Ø 44mm, (28g) = for 1 1/8" fork/steer tube
- 1 1/8" A-Head lower cup, Ø 34mm, (28a) = for 1.1/8" forks/steer tube

# Headset Twister - 1 1/8" Superlight 66q

### Semi-integrated

1 1/8". AL 7075. Ø 44mm, stack height 5.2mm. Weight: 66g incl. top cap and alloy screw Colors anodized: black, light blue, green, red, gold

### A Head

1 1/8" AL 7075, Ø 34mm, stack height 21mm, Weight: 66g incl. top cap and alloy screw Colors anodized: black, light blue, green, red, gold

# **REVERSE Chainstay Cover**

The chainstay cover is especially made for bikes with a bigger chainstay. We use Neoprene which is very stretchable to have a maximum size range.

Size: minimum scope 80mm, maximum scope 110mm Range: XC / Am / FR / DH frames



Tim Drexler, Solid & Reverse Team Rider





Reverse Stamp Basic

Colors

black

### Material

rubber & alloy clamp rings

### **Features**

Length: 135mm Ø 30mm Weight: 103g

### Colors

Grip rubbers: black, green, red

# Reverse King Size Grip

### Material

NEW

special silicon rubber & alloy clamp rings

### **Features**

Length: 145mm Ø 33mm, extra big! Weight: 122g



Grip rubbers: black









Reverse





# Material

### Features

Set/2pc Weight: 31g Compatible to all Reverse Lock On Grips!

### Colors

black, red, darkblue, lightblue, lightgreen, darkgreen, orange, purple, chrome, white (paint)









### Material rubber

### **Features**

Length: 125mm Ø 31mm

Weight: 102g







# Reverse Classic Lock On Grip Size 29 mm

Material

rubber & alloy clamp rings

### **Features**

Length: 130mm Ø 29mm Weight: 105g

### Colors

Grip rubbers: black, purple, white,

apple green, blue

Alloy clamp rings: silver polished, red, apple green, gold, white, yellow, black, purple, blue, green, orange



Reverse Classic Lock On Grip

### Material

rubber & alloy clamp rings

### **Features**

Length: 130mm Ø 28mm Weight: 80g

### Colors

Grip rubber: black

Alloy clamp rings: black, red, blue, silver polished, white





Reverse

# Reverse Classic Lock On Grip

### Material

rubber & alloy clamp rings

### **Features**

Length: 130mm Ø 31mm Weight: 114g



for more products

www.reverse-components.com

### Colors

Grip rubber: black

Alloy clamp rings: red, blue, white, silver polished, black





Maxi Grob. Solid & Reverse Team Rider

# **Reverse Fort Will Style**

### Material

7mm CrMo Rail Special Vinyl cover

### **Features**

Size 270mm x 125mm Weight: 238g

### Colors

black-white, black-green, black-orange, black-red, black-yellow, black-candy, black-grey

grey-black

white-black, white-orange, white-red, white-blue



# **Reverse Fort Will**

### Material

7mm CrMo Rail Special Vinyl cover

### Features

Size 270mm x 125mm Weight: 238g Titanium version 206g

### Colors

black-white (also with titanium Rail), white-black (also with titanium Rail), white-blue, black-yellow, black-green



Reverse components



Reverse Seatpost Comp Lite

Reverse components

### Material

AL 7075

### **Features**

Length: 400mm

Ø 30,0mm/ 30,9mm/ 31,6mm

Weight: 263g

### Colors anodized

purple, black, titan, red, white (paint), orange (only 30,9mm/31,6mm)



Benny Strasser, Reverse Pro Team Rider

# **Reverse Seatpost Comp**

Material 6061

### **Features**

Length: 350mm 27,2mm /

black Ø 30.9mm/ 31.6mm Weight: 317g

### Colors anodized

purple, light blue, chrome, gold, black, red, orange, vellow (paint), white (paint)

### AL 7075 **Features**

Material

Lenath: 400mm Ø 31.6mm / 30.9mm Weight: 263g

### Colors

black-polished, black in black

### **Reverse Seatpost XC Carbon Alloy** Reverse Seatpost Black Line

### Material

Carbon & Alloy Head

### **Features**

Lenath: 400mm Ø 31,6mm/30,9mm

Weight:

218g\* (400mm),

182g\* (350mm),

146g\* (300mm)

### Colors

black classic 3-K Carbon

# **Reverse Seatpost** RCC 316 / RCC 309

### Material

Carbon & Alloy Head

Features Length: 400mm

Weiaht: 218g\* (400mm). Ø31,6mm/30,9mm <sub>182g\*</sub> (350mm),

146g\* (300mm)

diffused Carbon black with white Logo





# Reverse Long Life Seatclamp

### Material

AL 7075 with Brass washer

### **Features**

Size: 34,9mm 5mm Allen screw / Quick release

Weight: 46g

### Colors

black, purple, dark-blue, gold, light-green, dark-green, silver, orange sand blast, red, light-blue, sand-metallic, white



# Reverse Bolt Seatclamp

### Material

AL 7075

### **Features**

Size: 34,9mm 5mm Allen screw Weight: 26g

### Colors

black, purple, dark-blue, light-blue, gold, silver, red, dark-green, lightgreen, orange sand blast, sandmetallic, white









for more products

www.reverse-components.com



### Reverse Race SL chainrings Material Features AL 7075 CNC 4 hole BCD 104mm Sizes and weights: Colors anodized 34T/36g black, red, dark blue, light blue, 36T/41a purple, white (paint), 38T/46a

white-green, black-green

# Reverse 2x10 shiftable chainrings

Material **Features** AL 7075 CNC 4 hole

Sizes and weights for BCD120mm:

Colors anodized 38T (49g) 40T (54g) black, red

Sizes and weights for BCD 80mm:

26T (31g)





assanad

Tim Drexler, Solid & Reverse Team Rider

for more products www.reverse-components.com



# Reverse shiftable chainrings / superlight

### **Features**

4 hole BCD 104mm Sizes and weights for BCD 104mm/ ID 90mm:

32T (38g)

34T (42g)

36T (48g) 38T (57g)

44T (76g)

Sizes and weights for BCD 64mm/ ID 48mm:

22T (26g)

24T (32g)

26T (36a)

### Material

AL 7075-T6 CNC

### Colors anodized

black, red, gold





For MTB

cranks

for more products

www.reverse-components.com

# Reverse Bashguard

Features 4 hole

3mm wall thickness BCD 104mm

for 44T chainrings

Including easy mount 4-Bolt system

Weight: 155g (with bolts) for triple chainring use!

Material AL 7075

Colors

black, white





# Reverse Bashguard Race SL

### **Features**

4 hole

3mm wall thickness BCD 104mm 34T/36T/38T Weight:

34T = 42q36T = 57a


38T = 63g

### Material

AL 7075

### Colors

black, white, red. dark-blue, chrome



# Reverse 2x10 Bashguard Race SL

### Features

4 hole

3mm wall thickness

BCD 120mm for 38T chainrings

Weight: 61g, bolts 46g

Material AL 7075

Colors

black

Including easy mount 4-Bolt system



# Reverse Legend DH short 162,5mm



Joshua Barth, Solid & Reverse Pro Team Rider

Reverse Chain Guide X1

### Material

6061 Alloy Plate & Bashguard

### **Features**

For 32-38T

exchangable Bashguard Pulley with industrial bearing optional avaliable BB-mount Adapter ISCG & ISCG 05

### Weights:

X1-B ISCG 05 = 207g with Bashguard X1-B ISCG = 216g with Bashguard

X1 ISCG 05 = 155g without Bashguard X1 ISCG = 165g without Bashguard

### X1-B Colors

black-black, black-white, red-white, red-black

### X1 Colors

black-black, black-white, redwhite, red-black

Optional available upper and lower guides for bashring mount!

Reverse









Adapter for BB-mount

(ISCG / ISCG 05)

for more products

www.reverse-components.com



# Reverse Escape PRO Pedal

### Material

Light weight Allov Pedal. CrMo Axle

### **Features**

Pedal size 100\*100mm, Pedal height 15 mm Pin height 4mm above platform DU bushing & Industrial bearing sealed, exchangeable pins,

Alloy body with 22 alloy pins (16x US Size & 8xM4

pins per pedal body)

Weight: pair 368g with 44 alloy pins



### Colors anodized

black-black. black-red. black-gold


















Many colors

Thread Type:



Total 11mm long, thread 8mm

(US-size ANSI 6-32)



Colors anodized

Optional available all

colored pins (US Size)

black-red pins

black-black pins

### Material

Super Light weight Alloy Pedal, CrMo Axle

### Features

Pedal size 100\*100mm Pedal height 15mm

Pin height 4mm above platform

Needle bearing & 2 Industrial bearing sealed, exchangeable pins.

Alloy body with 20 alloy pins per pedal (US Size) pair 40 pins

Weight: pair 325g with 40 alloy pins



First Place Hannes Slavik, Reverse Pro Team Rider Austrian Champion BMX 2013



### Material

Alloy

### **Features**

Weight: 7g with bolt

### Colors

black, red, gold, darkblue, lightblue, green, orange, purple





NEW



Reverse

NEW



# Reverse Disc Pads

### Material

Organic and sinter metall available

### **Features**

for Avid, Hayes, Formula, Magura, Shimano



# Reverse Disc Brake Bolts

### Material

Steel

### **Features**

Weight: 22g (Set 4 pc) M6 x 18mm

### Colors

red, blue, gold

# **Reverse Disc Rotor**

### Features

160mm 105g 180mm 135g

200mm 179g

203mm 185g

### Material

Alloy, Steel

Colors

red, gold, black, blue



# **Reverse Disc Rotor Bolts**

### Material


Steel / Grade 10.9

### **Features**

Torx T25 Bolt / Screw M5 x 10mm

### Colors

black, blue, red, gold







# **Reverse Chainring Bolts**

Material Colors

AL 7075 black, dark-blue, gold, red, green, orange, purple,

**Features** liaht-blue

Length 7mm

Weight: 9g (Set 8pc)

The Reverse chainring alloy bolts are available as a set. Easily mount with 5mm & 6mm allen keys. Bolt set 8pc: 4 x Bolts with Nuts & 4 x 2mm washers.



Material Alloy

Features

Sizes and weights: 5mm (2,1g) 10mm (4,4g)

Colors

black, purple, darkblue, gold, green, red, light-blue, orange







# **EVO 9 Pro HR 135mm** ---

### **Features**

3 in 1 System (135/10mm, 135/12mm, 142/12mm) 32 hole

295q

4 sealed bearings 3 paw system

Weight: 295g

### Colors anodized

black, red, purple, gold dark-blue, white (paint)

### Material

AL 6061 T6

### Features:

150/12mm AL 6061 T6

32 hole

4 sealed bearings

Alloy 3 paw cassette body

Weight: 305g

### Colors anodized:

black, red, purple, dark-blue, gold, white (paint)

Material:

Reverse EVO 9 Pro HR 150mm

System

# --- EVO 9 Pro VR

### **Features**

4 in 1 System (20mm/5mm/9mm/15mm)

185a

2 sealed bearings

Weight: 185g (20mm Version)

### Colors anodized:

black, red, purple, dark-blue, gold white (paint)

### Material

AL 6061 T6





# Adapter for EVO 9 Pro front hub

### 4 in 1 System

How to do: Take off the 20mm side cap so you got the press ring which holds the 20mm cap separately. Now take the basic adapter instead of the 20mm side cap. The press rings have to be replaced and pressed into the gap. The press ring fixes the basic adapter. Then plug in the adapter (5mm or 9mm or 15mm).

From now on you can change the adapter within a minute.

### 3 in 1 System

All EVO-9 Pro rear hubs 135/12mm can be used direct as 12mm or 10mm thru axle hub. Including the new developed standard quick release thru axle 12mm reduced to 10mm. So you can use this hub in every standard MTB. A optional axle set allows you to change the hub to the new 142/12mm standard.

135/12mm + 135/10mm + 142/12mm + 150/12 + 157/12 is possibly

With the Reverse 157/12mm axle you can modify your standard 150/12mm hub to the new standard 157/12mm.



# Reverse Spirit front hub

### **Features**

Superlight anodized 6061 alloy hub with 2 sealed bearings. Bolt-on type and standard quick release.

### Colors anodized

black, red, white (paint)

### Weight

156a

# Reverse Spirit rear hub

### **Features**

Superlight anodized 6061-T6 alloy hub with a alloy 3 paw cassette body, 4 sealed bearings. Bolt on type and standard quick release.

### Colors anodized

black, red, white (paint)

### Weight

290g

# **Titanium Quick Release**

### **Features**

Superlight titanium quick release. Front and rear.

### Colors anodized


black, red, gold, dark blue

### Weight

23g front 25 g rear









# **EVO 9 Pro Axles**

The EVO-9 Pro 135/12mm guick release thru-axle reduces 12 mm to 10 mm

Weiaht: 85a

This axle makes it possible to use the 135/12mm hub in every standard MTB.

Optional available is a 12mm reduced to 10mm bolt thru-axle with nut.

Weight: 62g

# **EVO Axles**

### **Features**

For Shimano X12/142mm

Length: 172mm Weight: 94g

For Sram X12/142mm

Length: 174mm Weight: 86g

For Syntace X12/142mm

Lenght: 164mm Weight: 89g

### Material

# Alloy

### Colors black





# Reverse Wheelset Super Light 928 26" FR-DH

### **Features**

Reverse Evo 9 hubs front: Ø20mm, rear: 150mm /157mm optional Reverse 928 rim 32 hole tubless ready!

Sapim D-light spokes Sapim alloy nipples

Weight set: 1677g\*

Colors hubs/rims/nipples: black





### **Features**

Reverse Evo 9 hubs front: Ø20mm, rear: 135mm/10+12mm, optional 142/12

Reverse 922 rim 32 hole tubless ready!

Sapim D-light spokes Sapim alloy nipples

Weight set: 1448g\*

Colors hubs/rims/nipples: black





Wheelsets

650B = 27.5"

1/1

# Reverse Wheelset **650B Enduro** Multi Use

Reverse Wheelset

Reverse Evo 9 hubs front: Ø20mm. rear: 150mm/optional 157mm

Reverse 650B rim 32 hole, tubless ready!

Rim dimensions: width outside: 28.5mm

Sapim D-light spokes, Sapim alloy nipples

650B FR-DH

Weight set: 1735g\*

Reverse Evo 9 hubs front: Ø20mm/15mm/QR. rear: 135mm/10+12mm, optional 142/12

Reverse 650B rim 32 hole, tubless ready! Rim dimensions: width outside: 28.5mm Sapim D-light spokes, Sapim alloy nipples Weight set: 1731g\*

# Reverse Wheelset 650B XC-AM Multi Use

Reverse Evo 9 hubs front: Ø20mm/15mm/QR. rear: 135mm/10+12mm, optional 142/12


Reverse 650B rim 32 hole, tubless ready! Rim dimensions: width outside: 25mm Sapim D-light spokes, Sapim alloy nipples

Weight set: 1544g\*

Colors hubs/rims/nipples for all 650B: black



sets!









# Set 2055g



# Reverse Wheelset DH/FR

### **Features**

Reverse Evo 9 hubs Reverse 934 rim 32 hole Sapim D-light spokes Sapim alloy nipples All hubs are convertible!

Weight set: 2055g\* / 20mm / 135mm hub Weight set: 2065\* / 20mm / 150mm hub

Colors hubs: black, red, gold, white, blue, purple

Colors rims: black, white

Colors nipples: black, red, gold, blue

# Reverse Wheelset FR/Enduro

### **Features**

Reverse Evo 9 hubs Reverse 930 rim 32 hole Sapim D-light spokes Sapim alloy nipples All hubs are convertible!

Weight set: 1879g\* / 20mm / 135mm hub Weight set: 1889g\* / 20mm / 150mm hub

Colors hubs: black, red, gold, white, blue, purple

Colors rims: white

Colors nipples: black, red, gold, blue

# Reverse 650B Rim

### Material

Dextro Allov

### Colors

black anodized

### **Features**

Rim dimensions: Width outside: 25mm. Width inside: 20mm.

Height: 18mm

32 hole. Tubeless ready! Maximum 90kg body weight

Weight: 366g

# Reverse 650B FR Rim

### Material

Dextro Alloy

# Colors

black anodized

### Features

Rim dimensions: Width outside: 28.5mm. Width inside: 23mm.

Height: 18,5mm 32 hole. Tubeless ready!

Maximum 120kg body weight

Weight: 448a

# Reverse 922 Rim 26"

### Material

Dextro Alloy

### Colors

black anodized

### **Features**

Rim dimensions: Width outside: 22.5mm. Width inside: 18mm. Height: 17.5mm

32 hole. Tubeless ready! Maximum 85kg body weight

Weight: 315a

# Reverse 928 Rim 26"

**Features** Rim dimensions:

### Material

Dextro Alloy

### Colors

black anodized

Height: 18.5mm 32 hole. Tubeless ready! Maximum 120kg body weight

Width outside: 28.5mm.

Width inside: 23mm.

Weight: 422a

# Reverse 930 Rim

### Material

6061 H T6

### Colors

white

### **Features**

32 hole

stainless steel eyelets, pin joint Width: 30mm, Height: 19mm

Weight: 535g

# Reverse 934 Rim

### Material

6061 H T6

# Colors

black, white

# **Features**

32 hole

stainless steel eyelets, pin joint Width: 32mm, Height: 21mm

Weight: 618g



# Reverse Single-Speed Kit

### Material

alloy spacer steel cog

### Colors anodized

red, green, gold, orange, purple, dark-blue, light-blue

### **Features**

Set: 7 spacer for a perfect chainline including 13T cog and lockring in spacer color. Optional available cog sizes from 13T-18T & 20T

Spacer sizes: 2pc 10mm,1pc 5mm,

4pc 3mm+ Lockring weight: 50g (set)







# Reverse Disc Brake Adapter

Material

### Colors anodized

black, red, dark-blue, gold, lightblue, green, orange, purple

**Features** 

different sizes for Avid and Shimano



Transparent adhesive stickers 12pc, extreme flexible








Lars Friedrich, Reverse Art Director



Sören Krahl, Reverse Team Rider =



### **International dealer support!**

Please check our website for the worldwide dealer and distributor list



REVERSE COMPONENTS Europe

Rudolf-Diesel-Straße 13 72250 Freudenstadt, Germany Fon: +49 (0)7441 / 952-450 Fax: +49 (0)7441 / 952-451

info@reverse-components.com www.reverse-components.com

BE PART OF THE FAMILY

Get all the latest informations about parts, teamriders, events and more

Find REVERSE on

facebook

and Google+



www.reverse-components.com